VILLAGE OF EAGLE
BOARD OF TRUSTEES AGENDA
NOVEMBER 16, 2026
EAGLE FIRE & RESCUE DEPARTMENT—705 S 1st Street
7:00 P.M.

--A COPY OF THE OPEN MEETINGS ACT IS AVAILABLE FOR PUBLIC INSPECTION—
--THE BOARD OF TRUSTEES RESERVES THE RIGHT TO GO INTO EXECUTIVE SESSION PER NRS 84-1410—
--PLEDGE OF ALLEGIANCE

1. Report from Fire & Rescue.

2. Discuss/possible action: Updates on the new Fire & Rescue Facility.

3. Public Comment.

4. Discuss/possible action: Consider estimate from Nebraska Generator Service for Bi-Annual ($4,651.31) or Annual ($3,134.89) preventative maintenance on municipal generators.

5. Report on Streets and Maintenance.

6. Report on Wells and Sewer.

7. Discuss/possible action: Approve or deny minutes as typed for the previous meeting.

8. Report from Committees and Boards.

The Agenda is readily available for inspection at the Village Clerk's Office located at 747 S. 2nd Street, Eagle, Nebraska during regular business hours.

NEBRASKA GENERATOR SERVICE LLC
SOUTH DAKOTA GENERATOR SERVICE LLC
4415 Patriot Boulevard
Kearney, Nebraska 68847
(402) 800-0748
accounting@nebraskageneratorservice.com

Estimate

ESTIMATE#	21468
DATE	10/29/2026
PO#	

CUSTOMER

Village of Eagle
727 s. 2nd Street
PO Box 130
Eagle NE 68347

SERVICE LOCATION

Village of Eagle
727 s. 2nd Street
PO Box 130
Eagle NE 68347

DESCRIPTION Estimate for Bi-Annual preventative maintenance.

Bi-Annual Services

Description	Qty	Rate	Total
O-Mileage Travel to and from site (For Two Trips a year)	54.00	2.96	159.84
O-PM Labor INSPECTION-SOUTH LIFT STATION • Inspect all fluids for proper level and condition • Check all belts and hoses for any cracks, leaks, or other damages. • Inspect all relays and fuses • Ensure proper voltage and frequency on the generator and record engine oil pressure, coolant temperature, voltage, frequency, and amperage (if load can be applied) under normal running conditions • Inspect louvers for proper operation • Inspect, clean and test battery	1.50	130.00	195.00
O-PM Labor FULL SERVICE-SOUTH LIFT STATION • Inspect all fluids for proper level and condition • Check all belts and hoses for any cracks, leaks, or other damages. • Inspect all relays and fuses • Ensure proper voltage and frequency on the generator and record engine oil pressure, coolant temperature, voltage, frequency, and amperage (if load can be applied) under normal running conditions • Inspect louvers for proper operation • Inspect, clean and test battery • Change oil and filters • Dispose of oil and filters	2.00	130.00	260.00
O-Fuel & Oil Filters LF3345 FS1251	1.00	60.08	60.08
O-Oil Lubricating Engine Oil	3.00	27.50	82.50

Description	Qty	Rate	Total
O-PM Labor INSPECTION-WWTP • Inspect all fluids for proper level and condition • Check all belts and hoses for any cracks, leaks, or other damages. • Inspect all relays and fuses • Ensure proper voltage and frequency on the generator and record engine oil pressure, coolant temperature, voltage, frequency, and amperage (if load can be applied) under normal running conditions • Inspect louvers for proper operation • Inspect, clean and test battery	1.50	130.00	195.00
O-PM Labor FULL SERVICE-WWTP • Inspect all fluids for proper level and condition • Check all belts and hoses for any cracks, leaks, or other damages. • Inspect all relays and fuses • Ensure proper voltage and frequency on the generator and record engine oil pressure, coolant temperature, voltage, frequency, and amperage (if load can be applied) under normal running conditions • Inspect louvers for proper operation • Inspect, clean and test battery • Change oil and filters • Dispose of oil and filters	2.00	130.00	260.00
O-Fuel & Oil Filters LF3000 FF42000 FS1280 WF2071	1.00	185.18	185.18
O-Oil Lubricating Engine Oil	6.00	27.50	165.00
O-HSB Full Service INSPECTION-SHOP Air cooled preventative maintenance.	1.00	199.00	199.00
O-HSB Full Service FULL SERVICE-SHOP Air cooled preventative maintenance.	1.00	399.00	399.00
O-PM Labor INSPECTION-WEST LIFT STATION • Inspect all fluids for proper level and condition • Check all belts and hoses for any cracks, leaks, or other damages. • Inspect all relays and fuses • Ensure proper voltage and frequency on the generator and record engine oil pressure, coolant temperature, voltage, frequency, and amperage (if load can be applied) under normal running conditions • Inspect louvers for proper operation • Inspect, clean and test battery	1.00	130.00	130.00
O-PM Labor FULL SERVICE-WEST LIFT STATION • Inspect all fluids for proper level and condition • Check all belts and hoses for any cracks, leaks, or other damages. • Inspect all relays and fuses • Ensure proper voltage and frequency on the generator and record engine oil pressure, coolant temperature, voltage, frequency, and amperage (if load can be applied) under normal running conditions • Inspect louvers for proper operation • Inspect, clean and test battery • Change oil and filters • Dispose of oil and filters	2.00	130.00	260.00
O-Fuel & Oil Filters 1356	1.00	7.99	7.99

Description	Qty	Rate	Total
O-Oil Lubricating Engine Oil	2.00	27.50	55.00
O-PM Labor INSPECTION-NORTH LIFT STATION • Inspect all fluids for proper level and condition • Check all belts and hoses for any cracks, leaks, or other damages. • Inspect all relays and fuses • Ensure proper voltage and frequency on the generator and record engine oil pressure, coolant temperature, voltage, frequency, and amperage (if load can be applied) under normal running conditions • Inspect louvers for proper operation • Inspect, clean and test battery	1.50	130.00	195.00
O-PM Labor FULL SERVICE-NORTH LIFT STATION • Inspect all fluids for proper level and condition • Check all belts and hoses for any cracks, leaks, or other damages. • Inspect all relays and fuses • Ensure proper voltage and frequency on the generator and record engine oil pressure, coolant temperature, voltage, frequency, and amperage (if load can be applied) under normal running conditions • Inspect louvers for proper operation • Inspect, clean and test battery • Change oil and filters • Dispose of oil and filters	2.00	130.00	260.00
O-Fuel & Oil Filters 1060	1.00	7.99	7.99
O-Oil Lubricating Engine Oil	4.00	27.50	110.00
O-PM Labor INSPECTION-FIRE STATION (OLD) • Inspect all fluids for proper level and condition • Check all belts and hoses for any cracks, leaks, or other damages. • Inspect all relays and fuses • Ensure proper voltage and frequency on the generator and record engine oil pressure, coolant temperature, voltage, frequency, and amperage (if load can be applied) under normal running conditions • Inspect louvers for proper operation • Inspect, clean and test battery	1.00	130.00	130.00
O-PM Labor FULL SERVICE-FIRE STATION (OLD) • Inspect all fluids for proper level and condition • Check all belts and hoses for any cracks, leaks, or other damages. • Inspect all relays and fuses • Ensure proper voltage and frequency on the generator and record engine oil pressure, coolant temperature, voltage, frequency, and amperage (if load can be applied) under normal running conditions • Inspect louvers for proper operation • Inspect, clean and test battery • Change oil and filters • Dispose of oil and filters	2.00	130.00	260.00
O-Fuel & Oil Filters 1372	1.00	7.99	7.99
O-Oil Lubricating Engine Oil	2.00	27.50	55.00

Description	Qty	Rate	Total
O-PM Labor INSPECTION-FIRE STATION (NEW) • Inspect all fluids for proper level and condition • Check all belts and hoses for any cracks, leaks, or other damages. • Inspect all relays and fuses • Ensure proper voltage and frequency on the generator and record engine oil pressure, coolant temperature, voltage, frequency, and amperage (if load can be applied) under normal running conditions • Inspect louvers for proper operation • Inspect, clean and test battery	1.00	130.00	130.00
O-PM Labor FULL SERVICE-FIRE STATION (NEW) • Inspect all fluids for proper level and condition • Check all belts and hoses for any cracks, leaks, or other damages. • Inspect all relays and fuses • Ensure proper voltage and frequency on the generator and record engine oil pressure, coolant temperature, voltage, frequency, and amperage (if load can be applied) under normal running conditions • Inspect louvers for proper operation • Inspect, clean and test battery • Change oil and filters • Dispose of oil and filters	2.00	130.00	260.00
O-Fuel & Oil Filters Oil Filter-1060	1.00	14.24	14.24
O-Oil Lubricating Engine Oil	3.00	27.50	82.50
O-Misc Service Supplies 1 Misc Service Supplies	14.00	37.50	525.00

CUSTOMER MESSAGE	Estimate Total:	$4,651.31

Annual Services

Description	Qty	Rate	Total
O-Mileage Travel to and from site (For Two Trips a year)	27.00	2.96	79.92
O-PM Labor FULL SERVICE-SOUTH LIFT STATION • Inspect all fluids for proper level and condition • Check all belts and hoses for any cracks, leaks, or other damages. • Inspect all relays and fuses • Ensure proper voltage and frequency on the generator and record engine oil pressure, coolant temperature, voltage, frequency, and amperage (if load can be applied) under normal running conditions • Inspect louvers for proper operation • Inspect, clean and test battery • Change oil and filters • Dispose of oil and filters	2.00	130.00	260.00
O-Fuel & Oil Filters LF3345 FS1251	1.00	60.08	60.08

Description	Qty	Rate	Total
O-Oil Lubricating Engine Oil	3.00	27.50	82.50
O-PM Labor FULL SERVICE-WWTP • Inspect all fluids for proper level and condition • Check all belts and hoses for any cracks, leaks, or other damages. • Inspect all relays and fuses • Ensure proper voltage and frequency on the generator and record engine oil pressure, coolant temperature, voltage, frequency, and amperage (if load can be applied) under normal running conditions • Inspect louvers for proper operation • Inspect, clean and test battery • Change oil and filters • Dispose of oil and filters	2.00	130.00	260.00
O-Fuel & Oil Filters LF3000 FF42000 FS1280 WF2071	1.00	185.18	185.18
O-Oil Lubricating Engine Oil	6.00	27.50	165.00
O-HSB Full Service FULL SERVICE-SHOP Air cooled preventative maintenance.	1.00	399.00	399.00
O-PM Labor FULL SERVICE-WEST LIFT STATION • Inspect all fluids for proper level and condition • Check all belts and hoses for any cracks, leaks, or other damages. • Inspect all relays and fuses • Ensure proper voltage and frequency on the generator and record engine oil pressure, coolant temperature, voltage, frequency, and amperage (if load can be applied) under normal running conditions • Inspect louvers for proper operation • Inspect, clean and test battery • Change oil and filters • Dispose of oil and filters	2.00	130.00	260.00
O-Fuel & Oil Filters 1356	1.00	7.99	7.99
O-Oil Lubricating Engine Oil	2.00	27.50	55.00
O-PM Labor FULL SERVICE-NORTH LIFT STATION • Inspect all fluids for proper level and condition • Check all belts and hoses for any cracks, leaks, or other damages. • Inspect all relays and fuses • Ensure proper voltage and frequency on the generator and record engine oil pressure, coolant temperature, voltage, frequency, and amperage (if load can be applied) under normal running conditions • Inspect louvers for proper operation • Inspect, clean and test battery • Change oil and filters • Dispose of oil and filters	2.00	130.00	260.00
O-Fuel & Oil Filters 1060	1.00	7.99	7.99
O-Oil Lubricating Engine Oil	4.00	27.50	110.00

Description	Qty	Rate	Total
O-PM Labor FULL SERVICE-FIRE STATION (OLD) • Inspect all fluids for proper level and condition • Check all belts and hoses for any cracks, leaks, or other damages. • Inspect all relays and fuses • Ensure proper voltage and frequency on the generator and record engine oil pressure, coolant temperature, voltage, frequency, and amperage (if load can be applied) under normal running conditions • Inspect louvers for proper operation • Inspect, clean and test battery • Change oil and filters • Dispose of oil and filters	2.00	130.00	260.00
O-Fuel & Oil Filters 1372	1.00	7.99	7.99
O-Oil Lubricating Engine Oil	2.00	27.50	55.00
O-PM Labor FULL SERVICE-FIRE STATION (NEW) • Inspect all fluids for proper level and condition • Check all belts and hoses for any cracks, leaks, or other damages. • Inspect all relays and fuses • Ensure proper voltage and frequency on the generator and record engine oil pressure, coolant temperature, voltage, frequency, and amperage (if load can be applied) under normal running conditions • Inspect louvers for proper operation • Inspect, clean and test battery • Change oil and filters • Dispose of oil and filters	2.00	130.00	260.00
O-Fuel & Oil Filters Oil Filter-1060	1.00	14.24	14.24
O-Oil Lubricating Engine Oil	3.00	27.50	82.50
O-Misc Service Supplies 1 Misc Service Supplies	7.00	37.50	262.50

CUSTOMER MESSAGE

Estimate Total: **$3,134.89**

PRE-WORK SIGNATURE

Signed By:

VILLAGE OF EAGLE

November 4, 2026

The Village Board of Trustees met in regular session at 7:00 p.m. on November 4, 2026 with Hochstein, Todd, Meier, Surman and Bowlin present. The Agenda items listed thereon were sufficiently descriptive to give the public reasonable notice of the matters to be considered at the meeting. The Chairperson, at the beginning of the meeting, informed the public about the location of the posted current copy of the Open Meetings Act. Chairperson Hochstein named the three (3) areas where the agenda was posted as follows: Eagle Municipal Building, Eagle Fire & Rescue Department and Eagle Municipal Park. The Pledge of Allegiance was recited.

Public Comment – Noah Stanton thanked the Village Board on behalf of Eagle Vision for approving their Trunk-or-Treat event on Main Street which saw an estimated 350 kids and 35 trunk participants. Surman expressed concern with golf carts disobeying traffic laws to follow the ambulance on emergency calls.

Motion by Meier, second by Bowlin, to approve Marcus Hochstein as a member of Eagle Fire & Rescue. Voting: Ayes – Todd, Meier, Surman, Bowlin. Hochstein abstained. Motion carried.

Motion by Meier, second by Bowlin, to approve the purchase of a fuel transfer tank from MI Diggers in the amount of $1,000. Voting: Ayes – Surman, Bowlin, Todd, Meier. Hochstein abstained. Motion carried.

Motion by Meier, second by Surman, to approve the purchase of Telespar sign posts and bases from J&A Traffic Products in the amount of $2,369.50. Voting: Ayes – 5. Motion carried.

Motion by Surman, second by Meier, to introduce Resolution 2026-13. Voting: Ayes – 5. Motion carried.

Village Clerk Nystrom read Resolution 2026-13 entitled:

RESOLUTION NO. 2026-13

WHEREAS, State of Nebraska Statutes, sections 39-2302, and 39-2511 through 39-2515 details the requirements that must be met in order for a municipality to qualify for an annual Incentive Payment; and

WHEREAS, The State of Nebraska Department of Transportation (NDOT) requires that each incorporated municipality must annually certify (by December 31st of each year) the appointment(s) of the City Street Superintendent(s) to the NDOT using the Year-End Certification of City Street Superintendent form; and

WHEREAS, The NDOT requires that each certification shall also include a copy of the documentation of the city street superintendent's appointment, i.e., meeting minutes; showing the appointment of the City Street Superintendent by their name as it appears on their License (if applicable), their License Number (if applicable), and Class of License (if applicable), and type of appointment, i.e., employed, contract (consultant, or interlocal agreement with another incorporated municipality and/or county), and the beginning date of the appointment; and

WHEREAS, The NDOT also requires that such Year-End Certification of City Street Superintendent form shall be signed by the Mayor or Village Board Chairperson and shall include a copy of a resolution of the governing body authorizing the signing of the Year-End Certification of City Street Superintendent form by the Mayor or Village Board Chairperson.

BE IT RESOLVED that the Village Board Chairperson of Eagle is hereby authorized to sign the attached Year-End Certification of City Street Superintendent completed form(s).

Motion by Surman, second by Meier, to adopt Resolution 2026-13. Voting: Ayes – 5. Motion carried.

Motion by Meier, second by Bowlin, to approve minutes as typed for the previous meeting. Voting: Ayes – 5. Motion carried.

Motion by Hochstein, second by Surman, to approve claims as presented. Voting: Ayes – 5. Motion carried.

Approved Claims: Wages 20,998.22, Board Wages 1,000.00, ABC Termite & Pest Control 131.00, Allen Septic 3,000.00, Amazon Marketplace 1,449.14, American Exchange Bank 1,125.00, Ball Insurance Srvc 1,656.48, Black Hills Energy 175.58, Bomgaars 313.97, Bound Tree Medical 986.35, Capital Business Systems 246.23, Casey's 821.56, Cass Co Register of Deeds 28.00, Cass Co Sheriff's Dept 3,145.21, Dollar General 38.10, Eagle Facilities & Grounds Assn 1,492.00, Eagle Nursery 595.00, EFTPS 4,440.50, Elway Powersports 23,476.96, First Wireless 573.96, Google LLC 201.60, Grainger 93.16, Harbor Freight 113.82, Hestermann, Richard 1,735.65, Hochstein, Marcus 11.79, Home Depot Credit Srvc 321.97, Husker Lock & Key 757.17, John Deere Financial 94.98, John Hancock Investments 525.98, Kelly Supply Co 24.10, Lincoln Winwater Works 411.76, Medica 9,677.34, Menards-South 1,600.16, Midwest Labs 206.12, Midwest Pump Works 6,663.28, Municipal Supply of Omaha 17,355.65, NE Dept of Rev 1,906.17, NE Public Health Env Lab 277.00, Nippon Sanso Matheson 288.60, Norland Pure 43.40, Nystrom, Taira 480.00, One Billing Solutions 500.81, One Call Concepts 36.86, OPPD 5,573.12, O'Reilly Auto Parts 14.97, Power Manager 3,410.13, Quik Dump Refuse 3,522.45, SCS Engineers 9,970.50, Snyder & Associates 2,650.53, Stryker Sales 2,274.95, The Garage Company 100.00, UNUM 1,024.44, US Postmaster 325.00, Verizon Wireless 767.04, Voice News 406.87, Windstream 704.76. Total of bills: **$139,765.39**.

Approved Park Claims: Black Hills Energy 54.43, OPPD 1108.34, Windstream. Total of bills: **$202.18**.

Approved Keno Claims: NE Dept of Rev 825.00. Total of bills: **$825.00**.

The meeting was adjourned at 7:27 p.m.

Nick Nystrom
Village Clerk

Marcus Hochstein
Chairperson

VILLAGE OF EAGLE

November 4, 2026

The Village Board of Trustees met in regular session at 7:00 p.m. on November 4, 2026 with Hochstein, Todd, Meier, Surman and Bowlin present. The Agenda items listed thereon were sufficiently descriptive to give the public reasonable notice of the matters to be considered at the meeting. The Chairperson, at the beginning of the meeting, informed the public about the location of the posted current copy of the Open Meetings Act. Chairperson Hochstein named the three (3) areas where the agenda was posted as follows: Eagle Municipal Building, Eagle Fire & Rescue Department and Eagle Municipal Park. The Pledge of Allegiance was recited.

Report from Law Enforcement – Sergeant Boehm said the Cass County Sheriff's Office patrolled 196.2 hours, answered 34 calls for service, and issued 6 citations and 4 warnings/violations for the month of October. Surman expressed concern with vehicles parking the wrong direction (against the flow of traffic) on the streets for extended periods of time. Terry Caddy said there has been a recent uptick in people parking in handicap accessible stalls along 4th Street.

Report from Building & Zoning Administrator – Hestermann reported 6 new building permits, 3 certificates of occupancy, and 13 inspections for the month of October. There are 18 total open permits to date.

Public Comment – Noah Stanton thanked the Village Board on behalf of Eagle Vision for approving their Trunk-or-Treat event on Main Street which saw an estimated 350 kids and 35 trunk participants. Surman expressed concern with golf carts disobeying traffic laws to follow the ambulance on emergency calls.

Motion by Meier, second by Bowlin, to approve Marcus Hochstein as a member of Eagle Fire & Rescue. Voting: Ayes – Todd, Meier, Surman, Bowlin. Hochstein abstained. Motion carried.

Discuss/possible action: Updates on the new Fire & Rescue Facility – Scott Lonergan (Asst. Fire Chief) said the projected move-in date is November 18, 2026. Nystrom said the office is working to coordinate a ribbon cutting event for December 4, 2026. Surman asked about the drainage on the south side of the building and what will be done to prevent erosion. Lonergan said additional dirt work, grass seed, and rock will be used to help prevent erosion.

Motion by Meier, second by Bowlin, to approve the purchase of a fuel transfer tank from MI Diggers in the amount of $1,000. Discussion: Surman asked if there is any concern with a board member making a purchase in excess of the spending limit without prior approval from the Village Board. Freeman-Caddy said there is no real issue since the Village Board is voting on the purchase tonight; however, if the vote turns out negative, MI Diggers (Hochstein) would not be paid. Hochstein said he was prepared to keep the fuel tank if the Village Board was not in favor of the purchase. Voting: Ayes – Surman, Bowlin, Todd, Meier. Hochstein abstained. Motion carried.

Motion by Meier, second by Surman, to approve the purchase of Telespar sign posts and bases from J&A Traffic Products in the amount of $2,369.50. Voting: Ayes – 5. Motion carried.

Motion by Surman, second by Meier, to introduce Resolution 2026-13. Voting: Ayes – 5. Motion carried.

Village Clerk Nystrom read Resolution 2026-13 entitled:

RESOLUTION NO. 2026-13

WHEREAS, State of Nebraska Statutes, sections 39-2302, and 39-2511 through 39-2515 details the requirements that must be met in order for a municipality to qualify for an annual Incentive Payment; and

WHEREAS, The State of Nebraska Department of Transportation (NDOT) requires that each incorporated municipality must annually certify (by December 31st of each year) the appointment(s) of the City Street Superintendent(s) to the NDOT using the Year-End Certification of City Street Superintendent form; and

WHEREAS, The NDOT requires that each certification shall also include a copy of the documentation of the city street superintendent's appointment, i.e., meeting minutes; showing the appointment of the City Street Superintendent by their name as it appears on their License (if applicable), their License Number (if applicable), and Class of License (if applicable), and type of appointment, i.e., employed, contract (consultant, or interlocal agreement with another incorporated municipality and/or county), and the beginning date of the appointment; and

WHEREAS, The NDOT also requires that such Year-End Certification of City Street Superintendent form shall be signed by the Mayor or Village Board Chairperson and shall include a copy of a resolution of the governing body authorizing the signing of the Year-End Certification of City Street Superintendent form by the Mayor or Village Board Chairperson.

BE IT RESOLVED that the Village Board Chairperson of Eagle is hereby authorized to sign the attached Year-End Certification of City Street Superintendent completed form(s).

Motion by Surman, second by Meier, to adopt Resolution 2026-13. Voting: Ayes – 5. Motion carried.

Motion by Meier, second by Bowlin, to approve minutes as typed for the previous meeting. Voting: Ayes – 5. Motion carried.

Motion by Hochstein, second by Surman, to approve claims as presented. Voting: Ayes – 5. Motion carried.

Approved Claims: Wages 20,998.22, Board Wages 1,000.00, ABC Termite & Pest Control 131.00, Allen Septic 3,000.00, Amazon Marketplace 1,449.14, American Exchange Bank 1,125.00, Ball Insurance Srvc 1,656.48, Black Hills Energy 175.58, Bomgaars 313.97, Bound Tree Medical 986.35, Capital Business Systems 246.23, Casey's 821.56, Cass Co Register of Deeds 28.00, Cass Co Sheriff's Dept 3,145.21, Dollar General 38.10, Eagle Facilities & Grounds Assn 1,492.00, Eagle Nursery 595.00, EFTPS 4,440.50, Elway Powersports 23,476.96, First Wireless 573.96, Google LLC 201.60, Grainger 93.16, Harbor Freight 113.82, Hestermann, Richard 1,735.65, Hochstein, Marcus 11.79, Home Depot Credit Srvc 321.97, Husker Lock & Key 757.17, John Deere Financial 94.98, John Hancock Investments 525.98, Kelly Supply Co 24.10, Lincoln Winwater Works 411.76, Medico 9,677.34, Menards South

1,600.16, Midwest Labs 206.12, Midwest Pump Works 6,663.28, Municipal Supply of Omaha 17,355.65, NE Dept of Rev 1,906.17, NE Public Health Env Lab 277.00, Nippon Sanso Matheson 288.60, Norland Pure 43.40, Nystrom, Taira 480.00, One Billing Solutions 500.81, One Call Concepts 36.86, OPPD 5,573.12, O'Reilly Auto Parts 14.97, Power Manager 3,410.13, Quik Dump Refuse 3,522.45, SCS Engineers 9,970.50, Snyder & Associates 2,650.53, Stryker Sales 2,274.95, The Garage Company 100.00, UNUM 1,024.44, US Postmaster 325.00, Verizon Wireless 767.04, Voice News 406.87, Windstream 704.76. Total of bills: **$139,765.39**.

Approved Park Claims: Black Hills Energy 54.43, OPPD 1108.34, Windstream. Total of bills: **$202.18**.

Approved Keno Claims: NE Dept of Rev 825.00. Total of bills: **$825.00**.

Report from Attorney – Freeman-Caddy said finalizing the Eagle Point final plat and annexation remains on hold awaiting a response from NDOT on Highway 34 access to the development.

Report from Clerk/Treasurer – Nystrom said the majority of last month was spent on obtaining temporary construction easements from property owners along 4th Street and F Street as part of the reconstruction projects. The office continues to prepare for the upcoming FY26 Financial Audit. Nystrom said the total monthly income ending October 31, 2026 was $100,456.95.

The meeting was adjourned at 7:27 p.m.

I, the undersigned Village Clerk for the Village of Eagle, Nebraska, hereby certify that the foregoing is a true and correct copy of proceedings had and done by the Chair and Board of Trustees on November 4, 2026 at 7:00 p.m. and that all of the subjects included in the foregoing proceedings were contained in the Agenda for the meeting, kept continually current and readily available for public inspection at the office of the Village Clerk; that such subjects were contained in said Agenda for at least twenty-four (24) hours prior to said meeting; that at least one copy of all reproducible material discussed at the meeting was available at the meeting for examination and copying by members of the public; that the said minutes from which the foregoing proceedings have been extracted were in written form and available for public inspection within ten (10) working days and prior to the next convened meeting of said body; that all news media requesting notification concerning meeting of said body were provided advance notification of the time and place of said meeting and the subjects to be discussed at said meeting.

Seal

Nick Nystrom
Village Clerk

Marcus Hochstein
Chairperson